

**INOGROW CO.,LTD.**  
400-12 Yangcheon-ro  
Gangseo-gu Seoul  
Korea

The following sample(s) was/were submitted and identified by/on behalf of the client as:-  
This report is not related to the Ministry of Food and Drug Safety 「ACT ON TESTING AND INSPECTION IN THE FOOD AND DRUG INDUSTRY」

---

**SGS File No.** : AYFN26-02284E  
**Sample Description** : CounterPro Glossy  
**SGS Ref No.** : AYHA26-00615  
**Test Period** : 2026. 01. 15 to 2026. 01. 28  
**Purpose of Test Report** : Data for reference  
**Test Results** : For further details, please refer to following page (s)  
**Report Comments** : The test results are limited to the requested product(sample name, item no.), and the sample don't have food Labeling information of Korea regulation.  
This test report is not related to Korea Laboratory Accreditation and KS Q ISO/IEC 17025.  
Verify for authenticity and validity in web site : <https://eecloud.sgs.com/index.aspx>.  
This test report cannot be used for public relations, advertising or litigating purpose without the prior consent of our company and not be used for different purpose.



Conrad Lee  
**Technical Manager / SGS KOREA**

**Results:**

Antimicrobial Activity (JIS Z 2801:2010E)						
Test microorganisms	Initial bacteria number (CFU/film)	Control (CFU/film)	Result(s)		Antimicrobial activity	
			Sample (CFU/film)		R	Percentage (%)
			1st	<1		
<i>Escherichia coli</i> ATCC 8739	3.8 x 10 <sup>5</sup>	6.8 x 10 <sup>6</sup>	1st	<1	6.8	>99.9%
			2nd	<1	6.8	>99.9%
			3rd	<1	6.8	>99.9%
<i>Staphylococcus aureus</i> ATCC 6538P	2.1 x 10 <sup>5</sup>	2.4 x 10 <sup>6</sup>	1st	<1	6.4	>99.9%
			2nd	<1	6.4	>99.9%
			3rd	<1	6.4	>99.9%

<Remark>

1) Inoculum Concentration :

*Escherichia coli* : 3.8 × 10<sup>5</sup> CFU/film

*Staphylococcus aureus* : 2.1 × 10<sup>5</sup> CFU/film

2) Method: Reference to JIS Z-2801 methods- Pour plate method


3) Dilution Medium : 1/500 Nutrient broth (BD)

4) Inoculations : 35 °C, R.H. 90 %, 24 hr

5) Incubation : 35 °C, 48 hr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).





**Picture of Sample as Received :**



**AYFN26-02284**





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

- Antimicrobial Activity of Photo: *Escherichia coli* -

Control	Sample 1 <sup>st</sup>																
																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2" style="text-align: center;">BACTERIUM: <i>Escherichia coli</i> ATCC 8739</td> </tr> <tr> <td colspan="2" style="text-align: center;">SGS FILE NO. : Control</td> </tr> <tr> <td style="text-align: center;">DATE: 2026-01-26</td> <td style="text-align: center;">REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Escherichia coli</i> ATCC 8739		SGS FILE NO. : Control		DATE: 2026-01-26	REF.: JIS Z 2801	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2" style="text-align: center;">BACTERIUM: <i>Escherichia coli</i> ATCC 8739</td> </tr> <tr> <td colspan="2" style="text-align: center;">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td style="text-align: center;">DATE: 2026-01-26</td> <td style="text-align: center;">REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Escherichia coli</i> ATCC 8739		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Escherichia coli</i> ATCC 8739																	
SGS FILE NO. : Control																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Escherichia coli</i> ATCC 8739																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2" style="text-align: center;">BACTERIUM: <i>Escherichia coli</i> ATCC 8739</td> </tr> <tr> <td colspan="2" style="text-align: center;">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td style="text-align: center;">DATE: 2026-01-26</td> <td style="text-align: center;">REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Escherichia coli</i> ATCC 8739		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2" style="text-align: center;">BACTERIUM: <i>Escherichia coli</i> ATCC 8739</td> </tr> <tr> <td colspan="2" style="text-align: center;">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td style="text-align: center;">DATE: 2026-01-26</td> <td style="text-align: center;">REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Escherichia coli</i> ATCC 8739		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Escherichia coli</i> ATCC 8739																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Escherichia coli</i> ATCC 8739																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>Sample 2<sup>nd</sup></b>	<b>Sample 3<sup>rd</sup></b>																

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

- Antimicrobial Activity of Photo: *Staphylococcus aureus* -

Control	Sample 1 <sup>st</sup>																
																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2">BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P</td> </tr> <tr> <td colspan="2">SGS FILE NO. : Control</td> </tr> <tr> <td>DATE: 2026-01-26</td> <td>REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P		SGS FILE NO. : Control		DATE: 2026-01-26	REF.: JIS Z 2801	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2">BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P</td> </tr> <tr> <td colspan="2">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td>DATE: 2026-01-26</td> <td>REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P																	
SGS FILE NO. : Control																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2">BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P</td> </tr> <tr> <td colspan="2">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td>DATE: 2026-01-26</td> <td>REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SGS</b></td> <td style="text-align: center;">SGS KOREA CO., LTD</td> </tr> <tr> <td colspan="2">BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P</td> </tr> <tr> <td colspan="2">SGS FILE NO. : AYFN26-02284</td> </tr> <tr> <td>DATE: 2026-01-26</td> <td>REF.: JIS Z 2801</td> </tr> </table>	<b>SGS</b>	SGS KOREA CO., LTD	BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P		SGS FILE NO. : AYFN26-02284		DATE: 2026-01-26	REF.: JIS Z 2801
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>SGS</b>	SGS KOREA CO., LTD																
BACTERIUM: <i>Staphylococcus aureus</i> ATCC 6538P																	
SGS FILE NO. : AYFN26-02284																	
DATE: 2026-01-26	REF.: JIS Z 2801																
<b>Sample 2<sup>nd</sup></b>	<b>Sample 3<sup>rd</sup></b>																

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).